NETGEAR DG834PN encaminador sense fil

Brand : NETGEAR

Product code: DG834PNIS



Product name : DG834PN

NETGEAR DG834PN. Modulació: CCK, DBPSK, DQPSK, QPSK. Estàndard de xarxa: IEEE 802.11b, IEEE 802.11g, Suport VPN: NAT traversal (VPN pass-through) f IPSec, PPTP and L2TP VPNs. Especificació DSL: ADSL, Dual RJ-11, pins 2 & 3, ANSI T1.413, G.DMT, G.Lite (ITU Annex A). Algorisme de seguretat suportat: 128-bit WEP, 64-bit WEP, WPA-PSK, Seguretat de firewall: Intrusion logging & Reporting. Canvi de protocol: Ethernet, Gestió de protocols: HTTP, Protocol d'enllaç de dades: Ethernet, Fast Ethernet, IEEE 802.11b, IEEE 802.11g, 802.11 Super G

Wireless LAN features		Operational conditions	
Modulation	CCK, DBPSK, DQPSK, QPSK	Operating temperature (T-T)	0 - 40 °C
Network		Operating relative humidity (H-H)	10 - 90%
Networking standards	IEEE 802.11b, IEEE 802.11g	Weight & dimensions	
Supports ISDN connection	×	Weight	500 g
VPN support	NAT traversal (VPN pass-through) f IPSec, PPTP and L2TP VPNs	Other features	
DSL features		Compatible operating systems	UNIX, Apple MacOS, Linux, Microsoft Windows 98/ME/NT/2000/XP
ADSL	1	Dimensions (WxDxH)	153 x 31 x 223 mm
DSL specification	ADSL, Dual RJ-11, pins 2 & 3, ANSI T1.413, G.DMT, G.Lite (ITU Annex A)	I/O ports	4 x network - Ethernet 10Base- T/100Base-TX - RJ-45 1 x modem - ADSL2+ - RJ-11 (WAN) 1 x network - Radio-Ethernet
Security			- Radio-Ethernet 1, 2, 5.5, 6, 9, 11, 12, 18, 24, 36,
Security algorithms Firewall security	128-bit WEP, 64-bit WEP, WPA-PSK Intrusion logging & Reporting	Supported data transfer rates	48, & 54 Mbps Super G (auto-rate capable)
Stateful Packet Inspection (SPI)	✓		- ADSL Internet service - 2.4 GHz
DoS attack prevention	✓	Minimum system requirements	wireless optional Super G adapter / Ethernet adapter & cable - Internet
Protocols			Explorer 5.0 / Netscape 4.7
Switching protocols	Ethernet	Maximum data transfer rate	0.108 Gbit/s
Management protocols	НТТР	Frequency range	2.412 -2.472 GHz
Data link protocols	Ethernet, Fast Ethernet, IEEE 802.11b, IEEE 802.11g, 802.11 Super G	Digital signal protocol	ADSL2+
		xDSL connection	1
Supported network protocols	TCP/IP, PPTP, UDP/IP, L2TP, ICMP/IP, PPPoE, PPPoA		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.