Canon

Canon i-SENSYS LBP6310dn 2400 x 600 dpi A4

Mærke : Canon Produktserie: i-SENSYS Produktkode: 6372B001

Produktnavn: LBP6310dn

i-SENSYS LBP6310dn - Laser, 33 ppm, 6 sec, 2400 x 600 dpi, 16 MB, Fast Ethernet, USB 2.0, 11.2 kg Canon i-SENSYS LBP6310dn. Udskrivningsteknologi: Laser. Antal printpatroner: 1, Maksimal driftscyklus: 25000 sider pr. måned. Maksimal opløsning: 2400 x 600 dpi. Maksimal ISO A-serie papirstørrelse: A4. Udskrivningshastighed (sort, normal kvalitet, A4/amerikansk papirformat): 33 sider pr. minut, Duplex udskrivning. Netværk klar. Produktfarve: Sort, Hvid





Printing		Ports & interfaces	
Colour *	×	Standard interfaces	USB 2.0
Print technology *	Laser	USB 2.0 ports quantity	1
Duplex printing *	✓	Network	
Maximum resolution *	2400 x 600 DPI	Network ready	✓
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Wi-Fi *	×
Warm-up time	10 s	Ethernet LAN *	✓
Time to first page (black, normal)	6 s	Performance	
Print margins (top, bottom, right, left)	5 mm	Internal memory * Sound pressure level (printing)	16 MB 54.2 dB
Features		Design	
Maximum duty cycle * Printing colours * Number of print cartridges * Page description languages *	25000 pages per month Black 1 CAPT	Product colour * Display Power	Black, White
Input & output capacity		Power consumption (printing) *	540 W
Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity	1 250 sheets 150 sheets 50 sheets 2 500 sheets	Power consumption (standby) AC input voltage AC input frequency	9 W 220 - 240 V 50 - 60 Hz
Paper handling			
Maximum ISO A-series paper size * Maximum print size	A4 216 x 356 mm		
Paper tray media types *	Envelopes, Labels, Plain paper, Transparencies		

Paper handling System requirements Windows 7 Home Basic, Windows 7 ISO A-series sizes (A0...A9) * A4, A5, A6 Home Basic x64, Windows 7 Home ISO B-series sizes (B0...B9) B5 Premium, Windows 7 Home Non-ISO print media sizes Executive, Legal, Letter Premium x64, Windows 7 Professional, Windows 7 **Envelopes sizes** 10, B5, C5 Professional x64, Windows 7 Custom media width 105 - 215.9 mm Starter, Windows 7 Starter x64, Custom media length 148 - 355.6 mm Windows 7 Ultimate, Windows 7 Paper tray media weight 60 - 120 g/m² Ultimate x64, Windows Vista Business, Windows Vista Business Multi-Purpose Tray media weight 60 - 163 g/m² Windows operating systems x64, Windows Vista Enterprise, supported Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium. Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 Mac OS X 10.5 Leopard, Mac OS X Mac operating systems supported 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion Linux operating systems supported Windows Server 2003, Windows Server 2003 x64, Windows Server Server operating systems supported 2008, Windows Server 2008 R2, Windows Server 2008 x64 Operational conditions Operating temperature (T-T) 10 - 30 °C Operating relative humidity (H-H) 20 - 80% Sustainability Sustainability certificates **ENERGY STAR** Weight & dimensions Weight 11.2 kg Dimensions (WxDxH) 400 x 376 x 263 mm Other features Mac compatibility Fast Ethernet Networking features Power LED Stand-by LED

