

## DELL PowerEdge T150 server 2 TB Rack (4U) Intel Xeon E E-2314 2,8 GHz 16 GB DDR4-SDRAM 300 W

Brand : DELL Product family: PowerEdge Article code: K4G47

**Product name:** T150

DELL PowerEdge T150. Processor family: Intel Xeon E, Processor frequency: 2,8 GHz, Processor model: E-2314. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Total storage capacity: 2 TB, HDD size: 3.5", HDD interface: SATA. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 300 W. Chassis type: Rack (4U)





Processor		Software	
Processor manufacturer *	Intel	Operating system installed *	×
Processor family *	Intel Xeon E		Microsoft Windows Server with
Processor model *	E-2314	Compatible operating systems *	Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server Citrix
Processor frequency *	2.8 GHz	compatible operating systems	Hypervisor Canonical Ubuntu Server
Processor boost frequency	4.5 GHz		LTS
Processor cache	8 MB	Processor special features	
Number of processors installed	1	CPU configuration (max)	1
Execute Disable Bit	<b>✓</b>	Enhanced Intel SpeedStep	/
Idle States	<b>✓</b>	Technology	•
Memory		Intel Virtualization Technology for Directed I/O (VT-d)	✓
Internal memory *	16 GB	Intel Trusted Execution Technology	1
Internal memory type * DDR4-SDRAM  Buffered memory type Unregistered (unbuffered)		Intel VT-x with Extended Page Tables (EPT)	✓
Memory slots ECC	4x DIMM ✓	Intel Software Guard Extensions (Intel SGX)	<b>✓</b>
Memory clock speed	3200 MHz	Intel 64	<b>✓</b>
Memory layout (slots x size)	1 x 16 GB	Intel Virtualization Technology (VT-	
Maximum internal memory *	64 GB	x)	•
Storage		Power	
Total storage capacity *	2 TB	Power supply *	300 W
Number of HDDs installed	1	Number of main power supplies	1
HDD capacity	2 TB	Logistics data	
HDD interface	SATA	Harmonized System (HS) code	84714100
HDD speed	7200 RPM	Carbon footprint	
HDD size	3.5"	Total carbon footprint (kg of CO2e)	2230
RAID support *	×	Total carbon emissions, standard	
Supported RAID controllers	PERC H355	deviation (kg of CO2e)	1010

Storage		Carbon footprint	
Optical drive type *	×	Carbon emissions, manufacturing (kg of CO2e)	457
Graphics		Carbon emissions, logistics (kg of	139
On-board graphics card model	Not available	CO2e)	
Network		Carbon emissions, energy usage (kg of CO2e)	1610
LAN controller Ethernet LAN	Broadcom 5720	Carbon emissions, end-of-life (kg of CO2e)	21
Cabling technology Ethernet interface type	10/100/1000Base-T(X) Gigabit Ethernet	Total carbon emissions, w/o use phase (kg of CO2e)	617
7.	olgable Ethernet	PAIA version	1.3.2, 2022
Ports & interfaces		Weight & dimensions	
Ethernet LAN (RJ-45) ports *	2	Width	175 mm
USB 2.0 ports quantity	5	Depth	453.8 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Height	360 mm
VGA (D-Sub) ports quantity	1	Weight	11.7 kg
Serial ports quantity	1	Other features	
Design		Data transfer rate	6 Gbit/s
Chassis type *	Rack (4U)	Bytes per sector	512n
Product colour	Black		
Performance			
Remote administration	iDRAC9 Basic 15G		



5397184677438

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.