

Samsung CLX-8650ND multifunction printer Laser A4 600 x 600 DPI 48 ppm

Brand : Samsung

Product code: CLX-8650ND

Product name : CLX-8650ND

Print, Scan, Copy, Duplex, 48 ppm, 200000 pages, Chorus4N 1GHz, 1GB RAM, 320GB HDD, 7" LCD touch 800 x 480, PCL5c/PCL6/Postscript 3/PDF 1.7, USB 2.0/Gigabit Ethernet

Samsung CLX-8650ND. Print technology: Laser, Printing: Colour printing, Resolution (maximum): 600 x 600 DPI, Print speed colour (normal, A4/US Letter): 48 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Direct print supported. Product colour: Black, White



Printing		Paper handling	
Print technology *	Laser	Maximum ISO A-series paper size *	A4
Printing *	Colour printing	Maximum print size	216 x 1200 mm
Duplex printing *	✓	Paper tray media types *	Card stock, Plain paper, Pre-printed, Recycled paper, Thin paper
Maximum resolution *	600 x 600 DPI	Multi-purpose tray media types	Envelopes, Heavyweight paper, Labels, Letterhead, Plain paper, Recycled paper
Print speed (black, normal quality, A4/US Letter) *	48 ppm	ISO A-series sizes (A0...A9) *	A4
Print speed (colour, normal quality, A4/US Letter)	48 ppm	Envelopes sizes	C5
Time to first page (black, normal)	9 s	Custom media width	148 - 216 mm
Time to first page (colour, normal)	11 s	Custom media length	210 - 356 mm
Copying		Paper tray media weight	60 - 163 g/m ²
Copying *	Colour copying	Multi-Purpose Tray media weight	60 - 220 g/m ²
Maximum copy resolution *	600 x 600 DPI	Ports & interfaces	
Copy speed (black, normal quality, A4)	48 cpm	Standard interfaces	USB 2.0
Copy speed (colour, normal quality, A4)	48 cpm	Direct printing *	✓
Time to first copy (black, normal)	9 s	USB port	✓
Time to first copy (colour, normal)	9 s	USB 2.0 ports quantity	4
Maximum number of copies	9999 copies	Network	
Copier resize	25 - 400%	Wi-Fi *	✗
Scanning		Ethernet LAN *	✓
Scanning *	Colour scanning	Management protocols	SNMPv3
Optical scanning resolution *	600 x 600 DPI		

Scanning		Performance	
Maximum scan resolution	4800 x 4800 DPI	Maximum internal memory	1024 MB
Maximum scan area	Legal (216 x 356)	Internal storage capacity	320 GB
Scan technology	CCDM	Card reader integrated	✗
Scan to	E-mail, USB	Internal memory *	1024 MB
Scan speed (colour)	70 ppm	Built-in processor	✓
Scan speed (black)	70 ppm	Processor model	Chorus4N
Image formats supported	JPG, TIF	Processor frequency	1000 MHz
Document formats supported	PDF	Sound pressure level (printing)	55 dB
Fax		Sound pressure level (copying)	59 dB
Faxing *	✗	Design	
Features		Product colour *	Black, White
Recommended duty cycle	0 - 7000 pages per month	Market positioning *	Business
Maximum duty cycle *	200000 pages per month	Built-in display *	✓
Digital sender	✗	Display	LCD
Number of print cartridges *	4	Display diagonal	17.8 cm (7")
Printing colours *	Black, Cyan, Magenta, Yellow	Display resolution	800 x 480 pixels
Page description languages	PCL 5c, PCL 6, PDF 1.7, PostScript 3	Touchscreen	✓
Optional functions	Fax	Control type	Touch
Input & output capacity		Power	
Total input capacity *	520 sheets	Power consumption (average operating)	1600 W
Total output capacity *	500 sheets	System requirements	
Multi-Purpose tray	✓	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Multi-Purpose tray input capacity	100 sheets	Linux operating systems supported	Fedora 11, Fedora 12, Fedora 13, Fedora 6, Fedora 7, Fedora 8, Fedora 9, SuSE Linux 10, Ubuntu 10.04, Ubuntu 8.04, Ubuntu 8.10, Ubuntu 9.04, Ubuntu 9.10
Paper input type	Cassette, Paper tray	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64
Auto document feeder (ADF)	✓	Weight & dimensions	
Auto document feeder (ADF) input capacity	100 sheets	Width	550 mm
Maximum number of input trays	4	Depth	523 mm
Maximum input capacity	3140 sheets	Height	776 mm
		Weight	70.4 kg
		Other features	
		All-in-one functions	Copy, Print, Scan
		Colour all-in-one functions	Copy, Print, Scan
		Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
		Supported network protocols	TCP / IPv4, HTTP, SNMP v1 / v2c / v3, LDAP, SMTP, SSL / TLS, IPSec, DNS, WINS, SLP, Bonjour, SSDP, DDNS, DHCP / BOOTP, IPv6



8806071729732

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-APR-2025. Prints or copies of Information are only valid on the printed Publication date