NEC

NEC PX700W Proyector de gran capacidad 7000 lúmenes ANSI DLP WXGA (1280x800) Negro

Marca : NEC

Nombre del producto : PX700W

Código del producto: 60003828

NEC PX700W. Brillo de proyector: 7000 lúmenes ANSI, Tecnología de proyección: DLP, Resolución original del proyector: WXGA (1280x800). Tipo de fuente de luz: Lámpara, Vida útil de la fuente de luz: 2000 h, Vida útil de la fuente de luz (modo económico): 2500 h. Foco: Automático, Horizontal lens shift range: -0,1 - 0,1°. Resoluciones de gráficos compatibles: 1280 x 800 (WXGA), 1920 x 1200 (WUXGA), 640 x 480 (VGA), Modos de vídeo compatibles: 1080i, 1080p, 480i, 480p, 576i, 576p, 720p. Tipo de serie de interfaz: RS-232, Tipo de conector USB: USB Type-A

Projector

Supported aspect ratios	16:9, 16:10
Screen size compatibility *	1270 - 7620 mm (50 - 300")
Projection distance	0.8 - 54 m
Projector brightness *	7000 ANSI lumens
Projection technology *	DLP
Projector native resolution *	WXGA (1280x800)
Contrast ratio (typical) *	2100:1
Native aspect ratio *	16:10
Horizontal scan range	15 - 108 kHz
Vertical scan range	48 - 120 Hz
Keystone correction, horizontal	-40 - 40°
Keystone correction, vertical	-30 - 30°
Matrix size	1.78 cm (0.7")

Light source

Light source type *	Lamp
Service life of light source *	2000 h
Service life of light source (economic mode)	2500 h
Lamp type	AC HID
Lamp power	400 W
Lamp power (economic mode)	320 W
Lamps quantity	2 lamp(s)

Lens system

Focus *	Auto
Horizontal lens shift range	-0.1 - 0.1°
Number of optional lenses supported	7

Video

Full HD *	✔
HD-Ready	✔
3D *	✘
Supported graphics resolutions	1280 x 800 (WXGA), 1920 x 1200 (WUXGA), 640 x 480 (VGA)

Network

Wi-Fi *	✔

Storage

Card reader integrated *	✘

Features

HDCP	✔
On Screen Display (OSD)	✔
Noise level *	43 dB
Plug and Play	✔
Password protection	✔
Certification	CE; ErP; TÜV GS

Multimedia

Image formats supported	JPG
Document formats supported	PDF

Design

Product type *	Large venue projector
Product colour *	Black
Placement	Desktop, Ceiling

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	958 W
Power consumption (standby) *	0.4 W
Power consumption (network standby)	18 W
Power consumption (economy mode)	753 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Video

Supported video modes	1080i, 1080p, 480i, 480p, 576i, 576p, 720p

Ports & interfaces

DisplayPorts quantity	1
S-Video inputs quantity	1
USB 2.0 ports quantity	2
Serial interface type *	RS-232
PC in (D-Sub)	✔
VGA (D-Sub) ports quantity *	3
HDMI ports quantity *	1
USB connector type	USB Type-A
BNC input ports	5
Composite video in *	1
DVI port *	✘
AC (power) in	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1

Software

Windows operating systems supported	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64

Weight & dimensions

Width	504 mm
Depth	516 mm
Height	192 mm
Weight *	19.7 kg

Packaging content

Remote control included *	✔
Remote control type	IR
Cables included	AC
Quick start guide	✔
Manual	✔
Mounting brackets included	✔

Technical details

Compliance certificates	RoHS

Logistics data

Harmonized System (HS) code	85286200

Other features

RS-232 ports	1
Maximum analog resolution	1920 x 1200 pixels
Maximum digital resolution	1920 x 1080 pixels

5028695610941