

Viewsonic Pro9000 Standard throw projector 1600 ანსი ლუმენი DLP 1080p (1920x1080) შავი

ბრენდი : Viewsonic

პროდუქტის კოდი: PRO9000

პროდუქტის დასახელება : Pro9000

Viewsonic Pro9000. პროექტორის სიკაშკაშე: 1600 ანსი ლუმენი, პროექციის ტექნოლოგია: DLP, Projector native resolution: 1080p (1920x1080). Light source type: LED, Service life of light source: 20000 h. ფოკუსი: Manual, Zoom type: Manual, მასშტაბირების კოეფიციენტი: 1.8:1. სAnalog signal format system: NTSC, Supported graphics resolutions: 1920 x 1080 (HD 1080), Supported video modes: 1080i, 1080p, 480i, 480p, 576p, 720p. სერიული ინტერფეისის ტიპი: RS-232



Projector		Features	
Screen size compatibility *	965.2 - 3810 mm (38 - 150")	Certification	UL, cUL, FDA (CDRH report), CB, FCC, TUV, GS + PAH, TUV (IEC60825-1), CE EMC report, CCC, PSB, NOM, Energy (Mexico), GOST R, C-tick
Projection distance	1.5 - 5 m		
Contrast ratio (dynamic)	100000:1		
Projector brightness *	1600 ANSI lumens		
Projection technology *	DLP		
Projector native resolution *	1080p (1920x1080)		
Number of colours	1.073 billion colours		
Uniformity	85%	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	LED	RMS rated power	4 W
Service life of light source *	20000 h	Number of built-in speakers	2
Lens system		Design	
Focus *	Manual	Product type *	Standard throw projector
Zoom capability	✓	Product colour *	Black
Zoom type	Manual	LED indicators	✓
Zoom ratio	1.8:1	Cable lock slot	✓
Optical zoom	1.2x	Cable lock slot type	Kensington
Throw ratio	1.5 - 1.8:1	Display	
Video		Built-in display *	✗
Analog signal format system *	NTSC	Power	
Full HD *	✓	Power source *	AC
HD-Ready	✓	Power consumption (typical) *	186 W
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power consumption (standby) *	0.5 W
Supported video modes	1080i, 1080p, 480i, 480p, 576p, 720p	AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50 - 60 Hz
S-Video inputs quantity	1	Voltage tolerance	10%
Serial interface type *	RS-232	Operational conditions	
VGA (D-Sub) ports quantity *	1	Storage temperature (T-T)	0 - 40 °C
HDMI ports quantity *	2	Operating relative humidity (H-H)	10 - 90%
DVI port *	✗	Operating altitude	1800 - 3048 m
AC (power) in	✓	Weight & dimensions	
		Width	321 mm
		Depth	260 mm
		Height	133 mm
		Weight *	4.3 kg

Network		Packaging content	
Ethernet LAN *	✗	Remote control included *	✓
Wi-Fi *	✗	Cables included	AC
Storage		Quick start guide	✓
Card reader integrated *	✗	Manual	✓
Features		AC adapter included	✓
Noise level (economic mode)	22 dB	Other features	
HDCP	✗	Aspect ratio	4:3, 16:9
Noise level *	28 dB	Audio input	1
Noise reduction	✓	Audio output	1
		Dimensions (WxDxH)	321 x 260 x 133 mm
		Connectivity technology	Wired
		RS-232 ports	1

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-APR-2025. Prints or copies of Information are only valid on the printed Publication date