

DELL DELL DELL Description PowerEdge Description Delta

□□ □□ : R250





Duagagag		Dagina	
Processor Processor manufacturer *	Intel	Design	
Processor manufacturer * Processor family *	Intel Intel Xeon E	Bezel	✓
Processor model * E-2334 Processor frequency * 3.4 GHz Processor boost frequency 4.8 GHz Processor cores 4	E-2334 3.4 GHz	Performance	
		Remote administration	iDRAC9, Enterprise 15G
		Software	
	•	Operating system installed *	×
Processor cache	8 MB		Canonical® Ubuntu® Server LTS
Number of processors installed	1 65 W		Citrix® Hypervisor Microsoft® Windows Server® with Hyper-V
Thermal Design Power (TDP)	65 W	Compatible operating systems *	RedHat® Enterprise Linux SUSE®
Memory			Linux Enterprise Server VMware® ESXi®
Internal memory type * DDF	16 GB	Power	
	DDR4-SDRAM Unregistered (unbuffered)		
Buffered memory type Memory slots	4x DIMM	Redundant power supply (RPS) support *	×
ECC	✓	Power supply *	700 W
Memory layout (slots x size)	1 x 16 GB	Power supply input voltage	200 - 240 V
Memory data transfer rate	3200 MT/s	Power cable length	2 m
Maximum internal memory *	128 GB	Power cable connector 1	C13 coupler
Storage		Power cable connector 2	C14 coupler
Total storage capacity *	2 TB	Power cable current	10 A
Number of HDDs installed	1	Operational conditions	
HDD capacity	2 TB	Operating temperature (T-T)	10 - 35 °C
HDD interface	SATA III	Storage temperature (T-T)	-40 - 65 °C
HDD speed	7200 RPM	Storage relative humidity (H-H)	5 - 95%
HDD size	3.5"	Operating altitude	0 - 3048 m
RAID support *	✓	Non-operating altitude	0 - 12000 m
Supported RAID controllers	PERC H355	Carbon footprint	
Hot-Plug support	✓	Total carbon footprint (kg of CO2e)	2100

Storage		Carbon footprint	
Optical drive type * Internal drive bays	× 4	Total carbon emissions, standard deviation (kg of CO2e)	935
Graphics	-	Carbon emissions, manufacturing (kg of CO2e)	505
On-board graphics card	×	Carbon emissions, logistics (kg of CO2e)	110
Network		Carbon emissions, energy usage (kg of CO2e)	1470
LAN controller Broadcom 5720 Ethernet LAN ✓		Carbon emissions, end-of-life (kg of CO2e)	17
Cabling technology Ethernet interface type	10/100/1000Base-T(X) Gigabit Ethernet	Total carbon emissions, w/o use phase (kg of CO2e)	632
Ports & interfaces		PAIA version	1.3.2, 2022
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
USB 2.0 ports quantity	2	Width	482 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Height	42.8 mm
ports quantity	1	Weight	12.5 kg
VGA (D-Sub) ports quantity	1	Other features	
Design		Data transfer rate	6 Gbit/s
Chassis type *	Rack (2U)	Bytes per sector	512n
Product colour	Black		
Rack rails	✓		



5397184774809

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.