Canon i-SENSYS LBP6310dn 2400 x 600 DPI A4

Merk : Canon

Productfamilie: i-SENSYS

Artikelcode: 6372B001

Productnaam : LBP6310dn

i-SENSYS LBP6310dn - Laser, 33 ppm, 6 sec, 2400 x 600 dpi, 16 MB, Fast Ethernet, USB 2.0, 11.2 kg Canon i-SENSYS LBP6310dn. Printtechnologie: Laser. Aantal printcartridges: 1, Gebruiksindicatie (maximaal): 25000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 33 ppm, Duplex printen. Netwerkgereed. Kleur van het product: Zwart, Wit





Printing		Ports & interfaces	
Colour *	×	Standard interfaces	USB 2.0
Print technology *	Laser	USB 2.0 ports quantity	1
Duplex printing *	 Image: A second s	Network	
Maximum resolution *	2400 x 600 DPI	Network ready	1
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Wi-Fi *	×
Warm-up time	10 s	Ethernet LAN *	✓
Time to first page (black, normal)	6 s	Performance	
Print margins (top, bottom, right, left)	5 mm	Internal memory * Sound pressure level (printing)	16 MB 54.2 dB
Features		Design	
Maximum duty cycle *	25000 pages per month	-	
Printing colours *	Black	Product colour *	Black, White
Number of print cartridges *	1	Display	×
Page description languages *	САРТ	Power	
Page description languages * Input & output capacity	САРТ	Power Power consumption (printing) *	540 W
	CAPT 1	Power consumption (printing) * Power consumption (standby)	9 W
Input & output capacity		Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays *	1	Power consumption (printing) * Power consumption (standby)	9 W
Input & output capacity Total number of input trays * Total input capacity *	1 250 sheets	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity *	1 250 sheets 150 sheets	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray	1 250 sheets 150 sheets ✓	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity	1 250 sheets 150 sheets ✓ 50 sheets	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays	1 250 sheets 150 sheets ✓ 50 sheets 2	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity	1 250 sheets 150 sheets ✓ 50 sheets 2	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V
Input & output capacity Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Maximum number of input trays Maximum input capacity Paper handling	1 250 sheets 150 sheets ✓ 50 sheets 2 500 sheets	Power consumption (printing) * Power consumption (standby) AC input voltage	9 W 220 - 240 V

Paper handling

ISO A-series sizes (A0...A9) * ISO B-series sizes (B0...B9) Non-ISO print media sizes Envelopes sizes Custom media width Custom media length Paper tray media weight Multi-Purpose Tray media weight

A4, A5, A6 B5 Executive, Legal, Letter 10, B5, C5 105 - 215.9 mm 148 - 355.6 mm 60 - 120 g/m² 60 - 163 g/m²

System requirements

• •			
Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic x64, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64		
Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion		
Linux operating systems supported	 Image: A set of the set of the		
Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64		
Operational conditions			
Operating temperature (T-T) Operating relative humidity (H-H)	10 - 30 °C 20 - 80%		
Sustainability			
Sustainability certificates	ENERGY STAR		
Weight & dimensions			
Weight	11.2 kg		
Dimensions (WxDxH)	400 x 376 x 263 mm		
Other features			
Mac compatibility	1		
Networking features	Fast Ethernet		
Power LED	✓		
Stand-by LED	1		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.