



## DELL PowerEdge T150 server 2 TB Rack (4U) Intel Xeon E E-2334 3,4 GHz 16 GB DDR4-SDRAM 300 W

**Merk :** DELL

**Productfamilie:** PowerEdge

**Artikelcode:** C2YCK

**Productnaam :** T150

- No OS
- Intel Xeon E-2334 (8MB Cache, 3.4GHz)
- 16GB (3200MHz) DDR4-SDRAM (1 x 16) & 2000GB HDD
- iDRAC9 Basic 15G

Intel Xeon E-2334 (8MB Cache, 3.4GHz), 16GB DDR4-SDRAM (3200MHz), 2000GB HDD, LAN (Broadcom 5720), PERC H355, iDRAC9 Basic 15G, No OS

[DELL PowerEdge T150 server 2 TB Rack \(4U\) Intel Xeon E E-2334 3,4 GHz 16 GB DDR4-SDRAM 300 W:](#)

### Lever de meerwaarde van data

Bied betaalbare oplossingen voor veelvoorkomende zakelijke workloads en lever krachtige rekenkracht met een towerserver op instapniveau.

DELL PowerEdge T150. Processorfamilie: Intel Xeon E, Frequentie van processor: 3,4 GHz, Processormodel: E-2334. Intern geheugen: 16 GB, Intern geheugentype: DDR4-SDRAM, Geheugenlayout: 1 x 16 GB. Totale opslagcapaciteit: 2 TB, Harde schijf, omvang: 3.5", Harde schijf-interface: SATA. Ethernet LAN, Bekabelingstechnologie: 10/100/1000Base-T(X). Netvoeding: 300 W. Type behuizing: Rack (4U)



| Processor                      |                           | Software  |   |
|--------------------------------|---------------------------|---|---|
| Processor manufacturer *       | Intel                     | Operating system installed *                            | ✗   |
| Processor family *             | Intel Xeon E              | Compatible operating systems *                          | Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server Citrix Hypervisor Canonical Ubuntu Server LTS |
| Processor model *              | E-2334                    |   |   |
| Processor frequency *          | 3.4 GHz                   |   |   |
| Processor boost frequency      | 4.8 GHz                   |   |   |
| Processor cache                | 8 MB                      |   |   |
| Number of processors installed | 1                         |   |   |
| Execute Disable Bit            | ✓                         |   |   |
| Idle States                    | ✓                         |   |   |
| Memory                         |                           | Processor special features                              |   |
| Internal memory *              | 16 GB                     | CPU configuration (max)                                 | 1   |
| Internal memory type *         | DDR4-SDRAM                | Enhanced Intel SpeedStep Technology                     | ✓   |
| Buffered memory type           | Unregistered (unbuffered) | Intel Virtualization Technology for Directed I/O (VT-d) | ✓   |
| Memory slots                   | 4x DIMM                   | Intel Trusted Execution Technology                      | ✓   |
| ECC                            | ✓                         | Intel VT-x with Extended Page Tables (EPT)              | ✓   |
| Memory clock speed             | 3200 MHz                  | Intel Software Guard Extensions (Intel SGX)             | ✓   |
| Memory layout (slots x size)   | 1 x 16 GB                 | Intel 64  | ✓   |
| Memory data transfer rate      | 3200 MT/s                 | Intel Virtualization Technology (VT-x)                  | ✓   |
| Maximum internal memory *      | 64 GB                     |   |   |
| Storage                        |                           | Power   |   |
| Total storage capacity *       | 2 TB                      | Power supply *  | 300 W   |
| Number of HDDs installed       | 1                         | Number of main power supplies                           | 1   |
| HDD capacity                   | 2 TB                      |   |   |
| HDD interface                  | SATA                      |   |   |
| HDD speed                      | 7200 RPM                  |   |   |
| HDD size                       | 3.5"                      |   |   |
| RAID support *                 | ✗                         |   |   |
|                                |                           | Logistics data  |   |
|                                |                           | Harmonized System (HS) code                             | 84714100  |
|                                |                           | Carbon footprint  |   |
|                                |                           | Total carbon footprint (kg of CO2e)                     | 2230  |
|                                |                           | Total carbon emissions, standard deviation (kg of CO2e) | 1010  |

|   |                      |  |             |
|---|----------------------|--|-------------|
| <b>Storage</b>                                  |                      | <b>Carbon footprint</b>                            |             |
| Supported RAID controllers                      | PERC H355            | Carbon emissions, manufacturing (kg of CO2e)       | 457         |
| Optical drive type *                            | ✗                    | Carbon emissions, logistics (kg of CO2e)           | 139         |
| <b>Graphics</b>                                 |                      | Carbon emissions, energy usage (kg of CO2e)        | 1610        |
| On-board graphics card model                    | Not available        | Carbon emissions, end-of-life (kg of CO2e)         | 21          |
| <b>Network</b>                                  |                      | Total carbon emissions, w/o use phase (kg of CO2e) | 617         |
| LAN controller                                  | Broadcom 5720        | PAIA version                                       | 1.3.2, 2022 |
| Ethernet LAN                                    | ✓                    | <b>Weight &amp; dimensions</b>                     |             |
| Cabling technology                              | 10/100/1000Base-T(X) | Width  | 175 mm      |
| Ethernet interface type                         | Gigabit Ethernet     | Depth  | 453.8 mm    |
| <b>Ports &amp; interfaces</b>                   |                      | Height   | 360 mm      |
| Ethernet LAN (RJ-45) ports *                    | 2                    | Weight   | 11.7 kg     |
| USB 2.0 ports quantity                          | 5                    | <b>Other features</b>                              |             |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 2                    | Data transfer rate                                 | 6 Gbit/s    |
| VGA (D-Sub) ports quantity                      | 1                    | Bytes per sector                                   | 512n        |
| Serial ports quantity                           | 1                    |  |             |
| <b>Design</b>                                   |                      |  |             |
| Chassis type *                                  | Rack (4U)            |  |             |
| Product colour                                  | Black                |  |             |
| <b>Performance</b>                              |                      |  |             |
| Remote administration                           | iDRAC9 Basic 15G     |  |             |



5397184677445



7330381628566

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.